

RACK GUARD®



 **HUSKY**
RACK & WIRE™

RACK GUARD®

PREVENT MATERIALS FROM FALLING INTO THE AISLES !

Rack Guard® protects your employees and meets increasing demands of regulatory agencies. The innovative design features a heavy duty, 8-gauge, 2"x2" square welded wire mesh, welded into angle frames for strength and rigidity.

Available Models:

Husky Part#	H	W	Lbs
RGW0803*	3'	8'	41.12
RGW0903	3'	9'	45.55
RGW1003	3'	10'	49.98
RGW1203	3'	12'	58.75
RGW0804*	4'	8'	49.58
RGW0904*	4'	9'	54.83
RGW1004*	4'	10'	60.08
RGW1204*	4'	12'	70.49
RGW0805*	5'	8'	58.04
RGW0905*	5'	9'	64.11
RGW1005*	5'	10'	70.19

* Quick Ship items guaranteed to ship in 48 hours or we pay the freight.

Spacer Clips		Lbs
RC0000*	Flush	.24
RC0400*	4"	.55
RC0600*	6"	.73
RC0800	8"	.91
RC1000	10"	1.08
RC1200	12"	1.26

Four brackets are required per panel.

Guards have pre-punched holes for bolting together with carriage bolts (included).



Flush Mount Bracket

Offset brackets are available in
4", 6", 8", 10" and 12"

Husky Rack & Wire makes continuous improvements in all its products. We reserve the right to change specifications without notice. Photos and illustrations may contain standard and optional equipment.

Warranty Information

For warranty information applicable to all our products, refer to the Husky Rack & Wire Terms and Conditions of Sale, which are accessible at www.huskyrackandwire.com/terms-conditions.



6146 Denver Industrial Park Road • Denver, NC 28037 • 800-438-5629

© HUSKY Rack & Wire, previously Wireway Husky Corp.. All Rights Reserved



To request a quote, email completed form to Info@huskyrackandwire.com

Name: _____
Phone: _____
Email: _____
Company: _____
Address: _____
City: _____ State: _____ Zip: _____


Finish:




Standard Gray



Optional Yellow



Back View



1. Rack Height (A): _____ Width (B): _____ Depth (C): _____

2. Total Coverage Per Bay: Height: _____

3. Starting Height of Rack Guard® (D): _____

4. Desired Extension Over Upright (E): _____

5. Standard Offsets (F):

☐ Flush ☐ 1",2",3" ☐ 4",5",6" ☐ 7",8",9" ☐ 10",11",12"

6. Total Number of Bays Covered: _____

7. Compatible with Husky Teardrop Style Upright:

☐ Yes ☐ No